


Automotive S.S. Power Strip Installation



Automotive S.S. Power Strip Installation




Power Strip Specifications:

- Stainless Steel housing with black powder coated end caps
- 4 receptacles
- Illuminated ON/OFF switch
- 15 AMP reset button
- 9' power cord with 90 degree plug
- ETL/cETL listed

Tools Required:

- Scribe or similar to mark mounting hole locations for drilling
- Drill and 1/8" diameter drill bit
- Center punch
- Safety glasses
- Flat head screwdriver



Installation Steps

1. Locate Power Strip where desired
2. Mark, center punch and drill (4) holes 1/2" deep, (2) per side, in either bottom or rear flange using a 1/8" diameter drill bit (safety glasses must be worn when drilling)
3. Thread power cord through wire pass hole in rear panel of Stationary Riser Shelf
4. Secure Strip using (4) included #10 x 3/4" hex washer head sheet metal screw



Automotive S.S. Power Strip Installation

Making Workspace Work™ is a trademark of Lista International Corporation.

Document Number: MD070A3 Rev 0

Print Date: December 2010

These instructions and other assembly instructions may be found on Lista International Corporation's web site, <http://www.listaintl.com>. For questions or Technical Support, please call 1-800-722-3020

This manual is proprietary information of Lista International Corporation. Unauthorized reproduction of any portion of this manual is prohibited without the written consent of Lista International Corporation. The material in this manual is for informational purposes only. It is subject to change without notice. Lista International Corporation assumes no responsibility for any typographical errors contained in this manual.

Lista International Corporation
106 Lowland Street
Holliston, MA 01746-2094
Toll Free: (800) 722-3020
Phone: (508) 429-1350
E-mail: sales@listaintl.com
Web: <http://www.listaintl.com/>

ISO 9001 Certified

© 2010 Lista International Corporation
All rights reserved.